


Movement by Perfection



The Royal League in ventilation, control and drive technology



Product documentation

Type
QK12A-4EM.78.GK


Article number
110215

Beijing Hengrui Mechanical and Electrical Equipment Co., Ltd
+86 10-62547612
zhangyu@bjhengrui.cn
en.bjhengrui.com

1. Product specification - Technical data

Article number	110215
Type	QK12A-4EM.78.GK
Designation	
Rated values	maximal operating temperature 70°C°C 1~230V 60Hz P ₁ 0,61kW 2,80A 1630/min 8,0uF/400V maximal operating temperature 70°C°C
Electrical connection	
ErP Data	not ErP rated
Thermal class	Thermal class 155
Connection diagram	1360-104XA OHNE
Fitting position	H
Quality of bearings	standard lubrication
Material impeller	Impeller made of aluminium
Weight	12.90

2. Characteristic curve



Ventilator-Typ Fan type	U V	f Hz	P ₁ W	I A	n min ⁻¹	C μF	q _v m³/h	L _{WA} dB(A)	R / P _R Ω / W	Min.pressung Min. pressure
QK12A-4EM.78.GK ⑤	230	60	610	2,8	1630	8	2800	84		

[illegible]


The illustrations shown make no claim to completeness and are for orientation purposes only.

4. Connection diagram

1~ Motor mit Kondensator und Thermostatschalter
(falls eingebaut).

1~ motor with capacitor and thermostatic switch
(if built in).

104XA-03



WH - weiß, white
OG - orange, orange
BK - schwarz, black
BU - blau, blue
BN - braun, brown
GNYE - grün-gelb, green-yellow



The Royal League in ventilation, control and drive technology

Intelligent control technology for any application

ZIEHL-ABEGG system capabilities:

Everything from a single source – perfectly matched for optimal performance

Please contact us. We would be pleased to design an individual solution for your requirements.

We would like to welcome you on our worldwide exhibitions. Please find our next exhibitions [here](#).